

Analytical Ultracentrifuge PROTEOME LAB XL-I at ISB3D facilities

Web address

[Visit Website](#)

Institution

[Institute of Structural Biology Drug Discovery and Development](#)


[Contact for service or sample analysis](#)

[Dr Srinivas Sistla \(ssistla@vcu.edu\)](mailto:ssistla@vcu.edu)


[Dr John Burgner \(john.w.burgner@vcuhealth.org\)](mailto:john.w.burgner@vcuhealth.org)

Analytical Ultracentrifugation (AUC)

- **A first principle approach for particle characterization**
 - No labelling
 - No immobilization
 - No unique buffers
- **A multi-faceted technique that is the gold standard when it comes to:**
 - Protein Characterization (Size Distribution, MW)
 - Protein-Ligand Interactions (Kd, Ka, Stoichiometry)
 - Protein-Protein interactions (Self Associations)
 - DNA/RNA/Viruses/Carbohydrates
- **Non-Biological Characterizations**
 - Exosomes
 - Lipid Nanoparticles
 - Polymers
 - Quantum Dots




Self Association (Stoichiometry)




Nanoparticle Size Distribution


Beckman Coulter XLI



Boundary Movement showing particle sedimentation



Hetero-Association (DNA:Protein)



Virus Characterization

AUC Applications

- Molecular Weight
- Stoichiometry
- Protein Aggregation
- Ligand Binding
- Conjugation efficiency
- Polydispersity
- Viral vector characterization

AUC requirements	ProteomeLab XL-I
Optical Systems	
Fastest Data Acquisition Rate	ABS: 90 sec/cell INT: 5 sec/scan
Max # of Wavelengths	3
Wavelength Precision	+/- 3 nm
Lowest Radial Resolution	30 μ m
Absorbance Flash Lamp Frequency	50 Hz
CCD Camera Specifications	2048 x 96 pixels
Interference Fringes	\geq 4 fringes/cell
Usable Concentration Ranges	ABS: .005 - 1.5 mg/mL INT: .025 - 3-4 mg/mL